



Fatsolve VF21L High performance foam cleaner, soft metal safe

Version Number: 1

Preparation date: 2014-04-25

1. IDENTIFICATION

Product name: Fatsolve VF21L High performance foam cleaner, soft metal safe
Product Code: 57753010, 57753100, 57753150, 57753330
SDS #: MS0800033
Recommended use:

- Professional cleaning/maintenance product for food & beverage industries
- This product is intended to be diluted prior to use

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:
 US Headquarters
 Diversey, Inc.
 8310 16th St.
 Sturtevant, Wisconsin 53177-1964
 Phone: 1-888-352-2249
 MSDS Internet Address: www.diversey.com

Canadian Headquarters
 Diversey, Inc. - Canada
 2401 Bristol Circle
 Oakville, Ontario L6H 6P1
 Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

| | |
|-----------------------------------|-------------|
| Skin corrosion/irritation | Category 1B |
| Serious eye damage/eye irritation | Category 1 |
| Metal Corrosion | Category 1 |

**Signal Word:****Danger**

Precautionary Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable

Fatsolve VF21L High performance foam
cleaner, soft metal safe

1 of 5



Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product @ @ 1:10

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and current Canadian Controlled Products Regulations (CPR).

Precautionary Statements

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

| Ingredient(s) | CAS # | Weight % |
|---------------------------------|------------|-----------|
| Sodium dodecylbenzene sulfonate | 25155-30-0 | 5 - 10% |
| Tetrasodium salt of EDTA | 64-02-8 | 3% - < 5% |
| Sodium hydroxide | 1310-73-2 | 1% - < 3% |
| 2-butoxyethanol | 111-76-2 | 1% - < 3% |
| Sodium xylene sulfonate | 1300-72-7 | 1% - < 3% |
| Sodium tripolyphosphate | 7758-29-4 | 1% - < 3% |
| Sodium silicate | 1344-09-8 | 1% - < 3% |
| Triethanolamine | 102-71-6 | 1% - < 3% |

*Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed: Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water

Skin: Rinse with plenty of water

Inhalation: No specific first aid measures are required

Ingestion: No specific first aid measures are required

5. FIRE-FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable) : Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

| Ingredient(s) | CAS # | ACGIH | OSHA |
|---------------------------------|--------------|-------------------------------|---|
| Sodium dodecylbenzene sulfonate | 25155-30-0 | - | - |
| Tetrasodium salt of EDTA | 64-02-8 | - | - |
| Sodium hydroxide | 1310-73-2 | 2 mg/m ³ (Ceiling) | 2 mg/m ³ (TWA) |
| 2-butoxyethanol | 111-76-2 | 20 ppm (TWA) | Skin 50 ppm (TWA) 240 mg/m ³ (TWA) |
| Sodium xylene sulfonate | 1300-72-7 | - | - |
| Sodium tripolyphosphate | 7758-29-4 | - | - |
| Sodium silicate | 1344-09-8 | - | - |
| Triethanolamine | 102-71-6 | 5 mg/m ³ (TWA) | - |

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.
Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid

Evaporation Rate: No information available

Odor threshold: No information available.

Melting point/range: Not determined

Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 9.17 lbs/gal 1.1 Kg/L

Bulk density: No information available

Flash point: > 200 °F > 93.3 °C

Dilution Flash Point: > 200 °F > 93.3 °C

Elemental Phosphorus: 0.59 % by wt.

pH: 13.2

Dilution pH: 11.8 @ 1:10

Metal Corrosion Not determined

Explosion limits: - upper: Not determined - lower: Not determined

Color: Clear, Yellow

Odor: Sweet

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 1.1

Vapor density: No information available

Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Viscosity: No information available

VOC: 2.92 % *

VOC % by wt. at use dilution 0.27 % *

Flammability (Solid or Gas): Not applicable

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

| | |
|--|---------------------------------|
| Reactivity: | Not Applicable |
| Stability: | The product is stable |
| Hazardous decomposition products: | None reasonably foreseeable. |
| Materials to avoid: | Acids. Strong oxidising agents. |
| Conditions to avoid: | No information available. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000

ATE - Dermal (mg/kg): >5000

ATE - Inhalatory, mists (mg/l): >20

ATE - Inhalatory, vapors (mg/l): >50

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

IMDG (Ocean) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|---------------------------------|------------|--------|--------|--------|--------|
| Water | 7732-18-5 | - | - | - | - |
| Sodium dodecylbenzene sulfonate | 25155-30-0 | X | X | X | X |
| Tetrasodium salt of EDTA | 64-02-8 | - | - | - | - |
| Sodium hydroxide | 1310-73-2 | X | X | X | X |
| 2-butoxyethanol | 111-76-2 | X | X | X | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - | - | - |
| Sodium tripolyphosphate | 7758-29-4 | X | - | X | - |
| Sodium silicate | 1344-09-8 | - | - | - | - |
| Triethanolamine | 102-71-6 | X | X | X | - |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|---------------------------------|------------|-----------|----------------------|-----------------------|-------------|
| Sodium dodecylbenzene sulfonate | 25155-30-0 | 5 - 10% | 1000 | | |
| Sodium hydroxide | 1310-73-2 | 1% - < 3% | 1000 | | |
| 2-butoxyethanol | 111-76-2 | 1% - < 3% | | | X |

| Ingredient(s) | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-----------------|---------|---------|-------------------------|
| 2-butoxyethanol | X | | |

SARA 311/312 Hazard Categories

Immediate: X
 Delayed: -
 Fire: -
 Reactivity: -
 Sudden Release of Pressure: -

Canada

| Ingredient(s) | CAS # | NPRI |
|-----------------|----------|------|
| 2-butoxyethanol | 111-76-2 | X |

16. OTHER INFORMATION**NFPA**

Health 3

Flammability 0

Instability 0

Version Number: 1

Preparation date: 2014-04-25

Reason for revision: Not applicable

Prepared by: NAPRAC

Additional advice: • Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.