

# CIPTON Hard water tolerant, defoamed CIP detergent

Version Number: 1 Preparation date: 2014-05-01

### 1. IDENTIFICATION

CIPTON Hard water tolerant, defoamed CIP detergent Product name:

**Product Code:** 57725010, 57725330, 57725150

SDS #: MS0800005 Recommended use: · Alkaline Cleaner

• This product is intended to be diluted prior to use Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

**US** Headquarters Diversey, Inc. 8310 16th St.

Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Canadian Headquarters Diversey, Inc. - Canada 2401 Bristol Circle Oakville, Ontario L6H 6P1

Phone: 1-800-668-3131

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) Emergency telephone number:

## 2. HAZARDS IDENTIFICATION

### Classification for the undiluted product

Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1 Metal Corrosion: Category 1



Signal Word: Danger

### Precautionary Statements

### CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable



Classification for the diluted product @ 1:17

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A



Dilution Signal word: Warning

#### **Precautionary Statements**

### CAUSES SKIN AND SERIOUS EYE IRRITATION

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Dispose of in accordance with all federal, state and local applicable regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Classified Ingredients** 

<u> </u>				
Ingredient(s)	CAS#	Weight %		
Sodium hydroxide	1310-73-2	20 - 30%		
Tetrasodium salt of EDTA	64-02-8	3% - < 5%		
Sodium gluconate	527-07-1	1% - < 3%		
Sodium chloride	7647-14-5	1% - < 3%		
Potassium silicate	1312-76-1	1% - < 3%		

<sup>\*</sup>Exact percentages are being withheld as trade secret information

### 4. FIRST AID MEASURES

## **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

#### **Diluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes If eye irritation persists: Get medical advice/attention

Skin: IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water

### 5. FIRE-FIGHTING MEASURES

Specific methods: None known

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: None.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions** Clean-up methods - large spillage. Soak up with inert absorbent material. Sweep up and shovel into and clean-up methods:

suitable containers for disposal. Use a water rinse for final clean-up.

### 7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)
Tetrasodium salt of EDTA	64-02-8	-	-
Sodium gluconate	527-07-1	-	-
Sodium chloride	7647-14-5	-	-
Potassium silicate	1312-76-1	-	-

#### **Undiluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles. Chemical-resistant gloves. Hand protection:

Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program Respiratory protection:

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

### **Diluted Product:**

Personal Protective Equipment

Eye protection: Chemical-splash goggles. Hand protection: Chemical-resistant gloves.

No special requirements under normal use conditions. Skin and body protection: Respiratory protection: No special requirements under normal use conditions.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid

Evaporation Rate: No information available Odor threshold: No information available. Melting point/range: Not determined

Autoignition temperature: No information available Solubility in other solvents: No information available

**Density:** 10.76 lbs/gal 1.29 Kg/L Bulk density: No information available

Flash point: > 200 °F > 93.4 °C

Color: Hazy, Brown Yellow Odor: No Odor/Odorless

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 1.29 Vapor density: No information available Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Dilution Flash Point: > 200 °F > 93.4 °C Viscosity: No information available

Elemental Phosphorus: 0.08 % by wt. VOC: 0 % \*

pH: 14 VOC % by wt. at use dilution 0 % \* Planmability (Solid or Gas): Not applicable

Metal Corrosion: Not determined

Explosion limits: - upper: Not determined - lower: Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable

Stability: Stable under recommended storage conditions

Hazardous decomposition products: None known.

Materials to avoid: Acids. Organic materials. Metals. Do not mix with any other product or chemical.

Conditions to avoid: Stable at normal conditions.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). **Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000 ATE - Inhalatory, mists (mg/l): >20

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

<u>Persistence and Degradability:</u> No information available.

Bioaccumulation: No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this MSDS, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): D002 Corrosive Waste

### 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

IMDG (Ocean) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

# 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

#### **RIGHT TO KNOW (RTK)**

MONT TO THIS MINING					
Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium hydroxide	1310-73-2	X	X	X	Х
Tetrasodium salt of EDTA	64-02-8	-	-	-	-
Sodium gluconate	527-07-1	-	-	-	-
Sodium chloride	7647-14-5	=	-	-	-
Potassium silicate	1312-76-1	-	-	-	-

#### CERCLA/ SARA

In word in with a second of the second of th				Castian 200 TDO (lbs)	C+! 242	
	Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
	Sodium hydroxide	1310-73-2	20 - 30%	1000		

### SARA 311/312 Hazard Categories

Immediate: x
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

#### Canada

## **16. OTHER INFORMATION**

NFPA Health 3 Flammability 0 Instability 0

Version Number: 1

Preparation date: 2014-05-01

Reason for revision:

Prepared by:

Not applicable
NAPRAC

Additional advice: • Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.