

SAFETY DATA SHEET

Section 1: Product and Company Identification

Product Name: All Weather Stock Shot – Purple, Green, Blue, Red and Orange





Product Code: 1 Pint Containers: 61150 (Red), 61151 (Green), 61152 (Blue), 61153 (purple), 61154 (orange)
1 Gallon Containers: 61090 (Red), 61091 (Green), 61093 (Blue), 61097 (Purple), 61098 (orange)

Product Use: Livestock marking paint

Supplier: LA-CO Industries, Inc.
1201 Pratt Boulevard
Elk Grove Village, IL.
60007-5746
E-mail Contact: customer_service@laco.com

Phone: (847) 956-7600
Fax: (847) 956-9885
24-hour Emergency: CHEMTREC: (800) 424-9300

Section 2: Hazards Identification

Protective Clothing	NFPA Rating (USA)	EC Classification	WHMIS (Canada)	Transportation
		R10: Flammable  Irritant	 B3 D2A	Not Regulated

Emergency Overview:

Combustible liquid and vapor. Irritating to eyes, respiratory system and skin. May be harmful if ingested.

Appearance, Color and Odor: Various colored liquid paint; faint odor of alcohol.

USA: This product is a hazardous material as defined by 29 CFR1910.1200, OSHA Hazard Communication Evaluation.

Canada: This is a controlled product under WHMIS.

European Communities (EC): This product is classified as dangerous according to Directive 1999/45/EC and its amendments. Classification: Flammable; Irritant

Potential Health Effects:

ACUTE (short term):

Relevant Route(s) of Exposure: Skin contact.

Inhalation: Inhalation of high concentrations of vapors may cause respiratory tract irritation. Extreme over-exposure may cause symptoms of central nervous system effects characterized by nausea, headache and dizziness.

Ingestion: Not an expected route of occupational exposure. Accidental swallowing may cause symptoms similar to alcohol intoxication.

Skin: The liquid may cause irritation when in contact with the skin.

Eye: Contact with the eyes will cause moderate to severe eye irritation. High vapor concentrations may cause mild eye irritation.

SAFETY DATA SHEET

Section 2: Hazards Identification, continued

CHRONIC (long term): see Section 11 for additional toxicological data

Long-term health effects are not expected with normal use of the product. Prolonged or repeated contact with of the liquid to skin may result in defatting and drying of skin and may result in dermatitis. Prolonged or repeated over-exposure to ethanol and methanol by ingestion may cause damage to the kidneys, heart, central nervous system and liver.

Medical Conditions Aggravated by Exposure: Preexisting skin disorders may be aggravated by repeated exposure to the product.

Interactions With Other Chemicals: Not available

Potential Environmental Effects: Not available

Section 3: Composition / Information on Ingredients

Hazardous/Dangerous Ingredients:

<u>Ingredient Name</u>	<u>CAS No.</u>	<u>Wt.%</u>	<u>EINECS / ELINCS</u>	<u>Symbol</u>	<u>Risk Phrases</u>
Ethanol	64-17-5	10-15	200-578-6	F	R11
Methanol	67-56-1	0.5-0.9	200-659-6	T	R23/24/25-39/23/24/25

See Section 16 for the full text of the R-phrases above.

Section 4: First Aid Measures

Inhalation: If symptoms are experienced remove source of contamination or move victim to fresh air and obtain medical advice.

Eye Contact: No effects expected. If irritation occurs, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes. If irritation persists, obtain medical advice.

Skin Contact: No health effects expected. If irritation does occur, flush with lukewarm, gently flowing water for 5 minutes. If irritation persists, obtain medical advice.

Ingestion: If irritation or discomfort occurs, obtain medical advice immediately.

Section 5: Fire Fighting Measures

Flammable Properties: Liquid contained within the products is flammable.

Suitable extinguishing Media: For small fires, use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. For large fires, use carbon dioxide, dry chemical powder, alcohol-resistant foam or polymer foam. Firefighting foams are the extinguishing agent of choice for most flammable liquid fires. Use water spray to cool fire-exposed containers.

Unsuitable extinguishing Media: Not available

Explosion Data:

Sensitivity to Mechanical Impact: Not applicable

Sensitivity to Static Discharge: Not applicable

SAFETY DATA SHEET

Section 5: Fire Fighting Measures, continued

Specific Hazards arising from the Chemical: If involved in a fire, combustion may produce toxic and irritating fumes and gases.

Protective Equipment and precautions for firefighters: Self-contained breathing apparatus and protective clothing should be worn. Remove all unprotected personnel.

NFPA

Health: 1
Flammability: 2
Instability: 0

Section 6: Accidental Release Measures

Personal Precautions: If large volumes of liquid are released, wear protective gloves, goggles and clothing. Ventilate the area. Monitor the workplace air for harmful concentrations of vapors and take appropriate precautions if concentrations in air exceed workplace exposure limits.

Environmental Precautions: Prevent the product from entering sewers or waterways.

Methods for Containment: If large volumes of liquid are released, stop the leak if it is safe to do so. Contain spilled liquid with earth, sand, or absorbent material which does not react with spilled material.

Methods for Clean-up: Clean up spills immediately. Shut off or extinguish all sources of ignition. Immediately soak spilled material with water. Soak up spill with absorbent material which does not react with spilled chemical. Put material in suitable, covered, labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Dispose of any contaminated, unusable product as described in Section 13 of this SDS.

Section 7: Handling and Storage

Handling: Avoid breathing vapors. Do not use near sources of extreme heat. Keep out of reach of children.

Storage: Store in a cool, dry area, out of direct sunlight and away from heat, flames and ignition sources. Keep products closed when not in use.

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines

Measurable airborne concentrations of the component substances, listed in Section 3, are not expected when the products are used for their intended purpose and according to the label directions. Consult local authorities for acceptable exposure limits.

<u>Ingredient</u>	<u>ACGIH TLV</u> <u>(8-hr. TWA)</u> <u>(mg/m³)</u>	<u>U.S. OSHA PEL</u> <u>(8-hr. TWA)</u> <u>(mg/m³)</u>	<u>Ontario (Canada)</u> <u>TWAEV</u> <u>(mg/m³)</u>	<u>UK OEL</u> <u>(8-hr. TWA)</u> <u>(mg/m³)</u>
Ethanol	1000 ppm	1900 mg/m ³ (1000 ppm)	1900 mg/m ³ (1000 ppm)	1920 mg/m ³ (1000 ppm)
Methanol	200 ppm, Skin 250 ppm STEL*	260 (200 ppm), Skin 250 ppm STEL*	260 (200 ppm), Skin 325 (250 ppm) STEV**	200 ppm (255 mg/m ³), STEL* 250 ppm, Skin,

SAFETY DATA SHEET

Section 8: Exposure Controls/Personal Protection, continued

Exposure Controls

Engineering Controls: Provide adequate ventilation to keep vapor concentrations below the exposure limits listed above. When there is large scale use of this material, local exhaust ventilation with or without process enclosure may be necessary. Use a non-sparking, grounded ventilation system separate from other exhaust ventilation systems.

Personal Protection:

Eye/Face Protection: Wear safety glasses or goggles.

Skin Protection: Wear appropriate gloves to prevent repeated and/or prolonged skin contact.

Respiratory Protection: Not required for normal use.
If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable personal protection equipment including approved respiratory protection. Have appropriate equipment available for use in emergencies such as spills or fire.

General Hygiene Measures: Avoid breathing vapors. Do not ingest. Avoid contact of the liquid to skin and eyes. Keep out of reach of children. Keep container tightly closed when not in use.

Section 9: Physical and Chemical Properties

Physical State:	Liquid	Flash Point & method:	43 °C (110 °F)
Appearance, Color and Odor:	Colored, either Purple, Green, Blue, Red or Orange; Faint alcohol odor.	Autoignition Temperature:	Not available
Odor Threshold:	Not available	Flammability Limits in Air:	Not available
pH:	7	Vapor Pressure:	<0.4
Specific Gravity:	1.0	Vapor Density:	Not available
Partition coefficient:	>1 (water/oil)	Evaporation Rate:	<0.02
Solubility:	Soluble in water	Boiling Point/Range:	212°F (100°C)
Viscosity:	Similar to water	Freezing Point:	32°F (0°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable at normal room temperature.

Conditions to Avoid: Do not use in conditions of extreme heat or near open flames.

Incompatible Materials: Avoid contact with the following incompatible materials: Strong oxidizing agents, acids, ammonia, hydrazine, peroxides, sodium, potassium acid anhydrides, perchloric acid and metal perchlorates, silver nitrate, mercuric nitrate, potassium-tert-butoxide and acid chlorides.

Hazardous Decomposition Products: Not applicable

Possibility of Hazardous Reactions: Not applicable

SAFETY DATA SHEET

Section 11: Toxicological Information

Acute Toxicity Data

<u>Ingredient</u>	<u>LD₅₀ Oral</u> (mg/kg)	<u>LD₅₀ Dermal</u> (mg/kg)	<u>LC₅₀ Inhalation</u> (mg/m ³ , 4 hrs.)
Ethanol	7 060 (rat)	Not available	39 000 (mouse)
Methanol	3 000 (monkey)	15 800 (rabbit)	64 000 (rat)

Other Toxicity Data

Carcinogenicity:	Occupational exposure to ethanol has not been associated with carcinogenicity. The International Agency for Research on Cancer (IARC) has classified alcoholic beverages as carcinogenic to humans (Group 1); oral exposure to alcoholic beverages containing ethanol is not relevant to occupational exposures.
Irritation:	Liquid may cause mild to moderate irritation in contact with eyes and skin. High concentrations of vapors may cause irritation to the eyes and respiratory system.
Corrosivity:	Not applicable
Sensitization:	Not applicable
Neurological Effects:	Not applicable with normal use of the product.
Genetic Effects:	Not applicable with normal use of the product.
Reproductive Effects:	Not applicable with normal use of the product.
Developmental Effects:	Ingestion of ethanol and methanol is considered hazardous to developing fetuses.
Target Organ Effects:	Not applicable with normal use of the product.

Section 12: Ecological Information

Ecotoxicity:	Not available
Persistence/Degradability:	Not available
Bioaccumulation/Accumulation:	Not available
Mobility:	Not available

Section 13: Disposal Considerations

Waste Disposal Method:	Do NOT dump into any sewers, on the ground or into any body of water. Store material for disposal as indicated in Section 7 Handling and Storage. The conditions of use, storage and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, LA-CO Industries, Inc. does not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.
USA:	Dispose of in accordance with local, state and federal laws and regulations.
Canada:	Dispose of in accordance with local, provincial and federal laws and regulations.
EC:	Waste must be disposed of in accordance with relevant EC Directives and national, regional and local environmental control regulations. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

SAFETY DATA SHEET

Section 14: Transport Information:

U.S. Hazardous Materials Regulation (DOT 49CFR):	Not regulated, this product conforms to small quantity exception of DOT 49CFR173.4.
Canadian Transportation of Dangerous Goods (TDG):	Not regulated
ADR/RID:	Not regulated
IMDG:	Not regulated
Marine Pollutants:	Not applicable
ICAO/IATA:	Not regulated

Section 15: Regulatory Information

USA

TSCA Status: All component substances are listed on the TSCA inventory.

SARA Title III

Sec. 302/304: None

Sec. 311/312: Flammable; Acute health hazard; Chronic health hazard

Sec. 313: None

CERCLA RQ: Methanol 5000 lbs

California Prop 65: This product contains the following chemicals known to the State of California to cause cancer: Carbon Black*.

*As sold, this product does not contain Carbon Black as airborne, or unbound particles of respirable size.

* Carbon black present in black product only.

State Right-to-Know

Lists :

Carbon Black* can be found on the following state right to know lists: California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

* Carbon black present in black product only.

Canada

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

WHMIS Classification: B3 – Combustible Liquid
(for workplace exposures) D2B – Material Causing Other Toxic Effects (Toxic). Due to eye, skin and respiratory irritation.

New Substance Notification Regulations: All component substances are listed on Canada's Domestic Substances List (DSL).

NPRI Substances: 2-Propanol is listed as an NPRI reportable substance.

EC Classification for the Substance/Preparation

European Inventories: All component substances are listed in EINECS.

Symbol:



Irritant

R10: Flammable.

R36/37/38: Irritating to eyes, respiratory system and skin.

S2: Keep out of reach of children.

S16: Keep away from sources of ignition – No smoking.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of water.

S37: Wear suitable gloves

S46: If swallowed, seek medical advice immediately and show this container or label.



SAFETY DATA SHEET

Section 16: Other Information

Full Text of R-phrases appearing in Section 2:

R11: Highly flammable
R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.
R39/23/24/25: Toxic: danger of irreversible effects through inhalation, in contact with skin and if swallowed.

Preparation Information:

Prepared by:

LEHDER Environmental Services Limited (519) 336-4101
www.lehder.com

Revision Date:

November 17, 2008

Revision Summary:

September 2, 2004
November 17, 2008: SDS template update.

Disclaimer:

While LEHDER Environmental Services Limited believes that the data set forth herein is accurate, as of the date hereof, LEHDER makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation and verification.

Manufacturer Disclaimer:

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, LA-CO Industries, Inc. makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will LA-CO Industries, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.