# SAFETY DATA SHEET

### 1. Identification

Product number	75004111	
Product identifier	DF=A9'GCI F79'APPLE MET9F98 AIR : F9G<9B9F	
Company information	PRIME SOURCE, LLC P. O. BOX 41911 ST. LOUIS, MO 63141 United States	
Company phone	General Assistance 1-800-444-2002	
Emergency telephone US	1-800-535-5053	
Emergency telephone outside US	1-352-323-3500	
Version #	01	
Recommended use	AIR FRESHENER	
Recommended restrictions	None known.	
2. Hazard(s) identification		
Physical hazards	Flammable aerosols	Category 1
Health hazards	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Extremely flammable aerosol. Causes serious	eye irritation. May cause drowsiness or dizziness.
Precautionary statement		
Prevention	flame or other ignition source. Pressurized cor	surfaces No smoking. Do not spray on an open ntainer: Do not pierce or burn, even after use. Avoid J. Use only outdoors or in a well-ventilated area.
Response	If inhaled: Remove person to fresh air and kee cautiously with water for several minutes. Rem Continue rinsing. Call a poison center/doctor if	nove contact lenses, if present and easy to do.

o not spray on an open ourn, even after use. Avoid a well-ventilated area. ng. If in eyes: Rinse esent and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise None known. classified (HNOC) Supplemental information 30.36% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 30.36% of the mixture consists of component(s) of unknown long-term hazards to

### 3. Composition/information on ingredients

### Mixtures

the aquatic environment.

Chemical name	Common name and synonyms	CAS number	%
Acetone		67-64-1	60 - 80
Butane		106-97-8	10 - 20
Propane		74-98-6	10 - 20
Other components below reportable levels			2.5 - 10

#: This substance has workplace exposure limit(s).

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** The full text for all R-phrases is displayed in Section 16 of the SDS.

#### 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.	
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. May cause drowsiness or dizziness.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	

# 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Powder. Alcohol resistant foam. Water. Carbon dioxide (CO2). None known.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Collect spillage. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes. Avoid prolonged exposure. Use only in well-ventilated areas. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Do not empty into drains.
Conditions for safe storage, including any incompatibilities	Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Тур	Ð	, v	alue
Acetone (CAS 67-64-1)	PEL		24	400 mg/m3
			1(	000 ppm
Propane (CAS 74-98-6)	PEL		18	800 mg/m3
			10	000 ppm
US. ACGIH Threshold Li	mit Values			
Components	Тур	e	V	alue
Acetone (CAS 67-64-1)	STE	L	7	50 ppm
	TWA	A	50	00 ppm
Butane (CAS 106-97-8)	STE	L	10	000 ppm
US. NIOSH: Pocket Guid	le to Chemical Hazards			
Components	Тур	e	V	alue
Acetone (CAS 67-64-1)	TWA	A	59	90 mg/m3
			2	50 ppm
Butane (CAS 106-97-8)	TWA	A	19	900 mg/m3
				00 ppm
Propane (CAS 74-98-6)	TWA	A		800 mg/m3
			10	000 ppm
logical limit values				
ACGIH Biological Expos	ure Indices			
Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	50 mg/l	Acetone	Urine	*
* - For sampling details, p	lease see the source doo	ument.		
propriate engineering htrols	should be matched or other engineerin	to conditions. If ap g controls to maint	oplicable, use pro ain airborne leve	hour) should be used. Ventilation rates ocess enclosures, local exhaust ventilation, els below recommended exposure limits. If irborne levels to an acceptable level. Provide

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear eye/face protection. Wear safety glasses with side shields (or goggles).	
Hand protection	Wear protective gloves.	
Skin protection		
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

Product name: PRIME SOURCE APPLE METERED AIR FRESHENER

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	132.89 °F (56.05 °C) estimated
Flash point	-156.0 °F (-104.4 °C) Propellant estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	1.9 % estimated
Flammability limit - upper (%)	9.5 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	55 psig @70F estimated
Vapor density	Not available.
Relative density	0.148 g/cm3 estimated
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.15 g/cm3 estimated
Flammability class	Flammable IB estimated
Heat of combustion	32.56 kJ/g estimated
Heat of combustion (NFPA 30B)	32.56 kJ/g estimated
Percent volatile	94.76 % estimated
Specific gravity	0.148 estimated
VOC (Weight %)	94.76 % estimated
10. Stability and reactivity	,

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents. Acids. Fluorine. Chlorine. Nitrates.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.	
Inhalation	Prolonged inhalation may be harmful. Narcotic effects.	
Skin contact	Not available.	
Eye contact	Causes serious eye irritation.	
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.	

### Information on toxicological effects

Acute toxicity	Narcotic effects.	
Product	Species	Test Results
7 OZ PRIME SOURCE API	PLE METERED AIR FRESHENER (CAS Mixi	ture)
Acute		
Dermal		
LD50	Guinea pig	10664.1006 mg/kg, 24 Hours estimated
		13.4989 ml/kg, 24 Hours estimated
	Rabbit	10664.1006 mg/kg, 24 Hours estimated
		13.4989 ml/kg, 24 Hours estimated
Inhalation		
LC100	Cat	358.2389 % estimated
LC50	Mouse	4923.7944 mg/l, 120 Minutes estimated
		206.9825 %, 120 Minutes estimated
		63.6869 mm/l, 2 Hours estimated
	Rat	79987.9375 ppm, 3 Hours estimated
		51837.168 ppm, 4 Hours estimated
		2619.1243 mg/l/4h estimated
		76.2842 mg/l estimated
Oral		Ĵ
LD50	Rat	8329.085 mg/kg estimated
		3.1593 ml/kg estimated
Components	Species	Test Results
cetone (CAS 67-64-1)		
Acute		
Dermal		
LD50	Guinea pig	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
	Rabbit	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
Inhalation		
LC50	Rat	55700 ppm, 3 Hours
		132 mg/l, 3 Hours
		50.1 mg/l
Oral	D. I	<b>5000</b>
LD50	Rat	5800 mg/kg
		2.2 ml/kg

Components	Species		Test Results	
Butane (CAS 106-97-8)				
Acute				
Inhalation				
LC50	Mouse		1237 mg/l, 120 Minutes	
			52 %, 120 Minutes	
	Rat		1355 mg/l	
Propane (CAS 74-98-6)				
Acute				
Inhalation				
LC50	Mouse		1237 mg/l, 120 Minutes	
			52 %, 120 Minutes	
	Rat		1355 mg/l	
			658 mg/l/4h	
* Estimatos for product may h	o based on a	dditional component data not shown.		
Skin corrosion/irritation				
Serious eye damage/eye		Not applicable. Causes serious eye irritation.		
rritation				
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Not availab	le.		
Skin sensitization	This produ	ct is not expected to cause skin sensitiza	ation.	
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
OSHA Specifically Regulate Not listed.	ed Substance	es (29 CFR 1910.1001-1050)		
Reproductive toxicity	This produ	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Narcotic ef	Narcotic effects.		
Specific target organ toxicity - repeated exposure	Not classifi	ed.		
Aspiration hazard	Not likely (	Not likely, due to the form of the product.		
Chronic effects	Prolonged inhalation may be harmful.			
	Fiololiyeu			
12. Ecological information	n			
Ecotoxicity	Toxic to aq	uatic life with long lasting effects. Accun	nulation in aquatic organisms is expected.	
Product		Species	Test Results	
7 OZ PRIME SOURCE APPL	E METERED	AIR FRESHENER (CAS Mixture)		
Aquatic				
Crustacea	EC50	Daphnia	7406.8545 mg/l, 48 hours estimated	
Fish	LC50	Fish	12114.3506 mg/l, 96 hours estimated	
Components		Species	Test Results	
Acetone (CAS 67-64-1)				
Aquatic				
	EC50	Water flea (Daphnia magna)	21.6 - 23.9 mg/l, 48 hours	
Crustacea				

Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data available.

Partition coefficient n-o	octanol / water (log Kow)	
Acetone	-0.24	
Butane	2.89	
Propane	2.36	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
US RCRA Hazardous Waste	U List: Reference	
Acetone (CAS 67-64-1)	U002	

	0002
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

### 14. Transport information


#### DOT

01	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN number UN proper shipping name	UN1950 Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	Yes
ERG Code	10L
Special precautions for user	• Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.







Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

# 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Acetone (CAS 67-64-1)

Listed.

Product name: PRIME SOURCE APPLE METERED AIR FRESHENER

SARA 304 Emergency releas	se notification		
Not regulated.			
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1	1050)	
Not listed.			
-	authorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard Not listed.	-		
SARA 311/312 Hazardous chemical	Νο		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HA	Ns) List	
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevent	tion (40 CFR 68.130)	
Butane (CAS 106-97-8) Propane (CAS 74-98-6)			
Safe Drinking Water Act (SDWA)	Not regulated.		
Drug Enforcement Adm Chemical Code Number		Chemicals (21 CFR 1310.02(b) and	1310.04(f)(2) and
Acetone (CAS 67-64 Drug Enforcement Adm		32 ot Chemical Mixtures (21 CFR 1310.	.12(c))
Acetone (CAS 67-64-	/	%WV	
DEA Exempt Chemical			
Acetone (CAS 67-64-	-1) 653	32	
US state regulations	ubatanas List		
US. Massachusetts RTK - Su	idstance List		
Acetone (CAS 67-64-1) Butane (CAS 106-97-8)			
Propane (CAS 74-98-6)			
US. New Jersey Worker and	Community Right-to-Know Act		
Acetone (CAS 67-64-1)			
Butane (CAS 106-97-8) Propane (CAS 74-98-6)			
• • • • •	d Community Right-to-Know Law		
Acetone (CAS 67-64-1)			
Butane (CAS 106-97-8)			
Propane (CAS 74-98-6)			
US. Rhode Island RTK			
Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Propane (CAS 74-98-6)			
US. California Proposition 6 California Safe Drinking V		1986 (Proposition 65): This material is toxins.	not known to contain
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Chemical Su	ubstances (AICS)	No
Canada	Domestic Substances List (DSL)	. ,	Yes
Canada	Non-Domestic Substances List (ND	OSL)	No
China	Inventory of Existing Chemical Sub		No
Product name: PRIME SOURCE APE			

Product name: PRIME SOURCE APPLE METERED AIR FRESHENER

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	11-04-2014
Version #	01
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Alternate Trade Names