Version 2.1	Revision Date: 04/27/2015		DS Number: 78-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014		
SECTION	1. IDENTIFICATION					
Produ	uct name	:	: PRIME SOURCE® Antimicrobial Foaming Hand Soap			
Produ	uct code	:	75004228; 75004237; 75004240			
	Manufacturer or supplier's of Company name of supplier		: PRIME SOURCE, LLC			
Addre	ess		One City Place Drive, Suite 200 St. Louis MO 63141			
Telep	Telephone		314-997-5959			
Emei	Emergency telephone		800-424-9300			
Reco	Recommended use of the c		ical and restriction	ons on use		
Reco	Recommended use		Antibacterial Soap)		
Restr	rictions on use		consumers and of foreseeable use. (specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and of intended-use guid	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are equirement of an SDS for the consumer. It is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
Haza	rd Statements		e liquid and vapor. erious eye damage.
Preca	autionary Statements	No smoking. P233 Keep cont P241 Use explo- equipment. P242 Use only r P243 Take prec P280 Wear prot Response: P303 + P361 + all contaminated P305 + P351 + water for severa and easy to do. CENTER or doo Storage: P403 + P235 St Disposal:	y from heat/sparks/open flames/hot surfaces. ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ hon-sparking tools. autionary measures against static discharge. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON etor/ physician. ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste
•			

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2- ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. 	
If inhaled	: If inhaled, remove to fresh air.	

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014		
		Get medical att	ention if symptoms occur.		
In ca	se of skin contact		: Wash with water and soap as a precaution. Get medical attention if symptoms occur.		
In case of eye contact		for at least 15 n If easy to do, re	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. 		
If swallowed		Get medical att	O NOT induce vomiting. ention if symptoms occur. oroughly with water.		
Most important symptoms and effects, both acute and delayed		: Causes serious	eye damage.		
Prote	ection of first-aiders	and use the rec	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.		
Notes	s to physician	: Treat symptomatically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014			
for fire-fighters		Use personal p	rotective equipment.			
SECTION	SECTION 6. ACCIDENTAL RELEASE MEASURES					
prote	onal precautions, ctive equipment and gency procedures		rotective equipment. Idling advice and personal protective			
Envir	onmental precautions	Prevent further Prevent spread barriers). Retain and disp	the environment must be avoided. leakage or spillage if safe to do so. ing over a wide area (e.g. by containment or oil oose of contaminated wash water. s should be advised if significant spillages ained.			
Methods and materials for containment and cleaning up		Soak up with in Suppress (knoc jet. For large spills, containment to can be pumped container. Clean up remai absorbent. Local or nationa disposal of this employed in the determine whick Sections 13 and	pols should be used. ert absorbent material. ek down) gases/vapors/mists with a water spray provide diking or other appropriate keep material from spreading. If diked material store recovered material in appropriate ning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.			

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	 Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed.

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
		Take precautiona	heat and sources of ignition. ry measures against static discharges. ent spills, waste and minimize release to the
Conditi	ons for safe storage	Keep tightly close Keep in a cool, w Store in accordar	labeled containers. ed. ell-ventilated place. nce with the particular national regulations. heat and sources of ignition.
Materials to avoid		Strong oxidizing a Organic peroxide Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating subs	S 6 6

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alpha-Sulfo-omega-	67762-19-0
(dodecyloxy)-poly(oxy-1,2-	
ethanediyl), Ammonium salt	
Ammonium dodecyl sulphate	2235-54-3
4-chloro-3,5-dimethylphenol	88-04-0

Engineering measures

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at

Version 2.1	Revision Date: 04/27/2015		DS Number: 378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
			assessment. Rele Particulates Not C dust, 5 mg/m3 - re Particles (insolubl	to be considered in workplace risk vant limits include: OSHA PEL for Otherwise Regulated of 15 mg/m3 - total espirable fraction; and ACGIH TWA for e or poorly soluble) Not Otherwise (m3 - respirable particles, 10 mg/m3 - s.
Per	sonal protective equipm	nent		
	piratory protection	:	maintain vapor ex concentrations are unknown, appropr Follow OSHA resp use NIOSH/MSH/ by air purifying res hazardous chemic supplied respirato release, exposure	exhaust ventilation is recommended to posures below recommended limits. Where e above recommended limits or are riate respiratory protection should be worn. birator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air r if there is any potential for uncontrolled levels are unknown, or any other ere air purifying respirators may not provide on.
	nd protection			
N	laterial	:	Impervious gloves	
Ν	A aterial	:	Flame retardant g	loves
F	Remarks	:	on the concentrati time is not determ For special applic resistance to cher	protect hands against chemicals depending on specific to place of work. Breakthrough ined for the product. Change gloves often! ations, we recommend clarifying the nicals of the aforementioned protective ove manufacturer. Wash hands before end of workday.
Eye	protection	:	Chemical resistan	g personal protective equipment: t goggles must be worn. ely to occur, wear:
Skir	n and body protection	:	resistance data ar potential. Wear the following Flame retardant a Skin contact must	e protective clothing based on chemical and an assessment of the local exposure g personal protective equipment: ntistatic protective clothing. be avoided by using impervious protective aprons, boots, etc).
Нуд	jiene measures	:	located close to th	ushing systems and safety showers are ne working place. ot eat, drink or smoke.

Version 2.1	Revision Date: 04/27/2015		DS Number: 78-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
			Wash contamin	ated clothing before re-use.
SECTION	9. PHYSICAL AND CHI	EMIC	CAL PROPERTI	ES
Арре	arance	:	liquid	
Color		:	clear, amber, b	prown
Odor		:	fruity	
Odor	Threshold	:	No data availa	ble
pН		:	4.5 - 8.5	
Meltir	ng point/freezing point	:	No data availa	ble
Initial range	boiling point and boiling	:	83 °C	
Flash	point	:	58.9 °C	
Evap	oration rate	:	No data availa	ble
Flam	mability (solid, gas)	:	Not applicable	
Uppe	r explosion limit	:	No data availa	ble
Lowe	r explosion limit	:	No data availa	ble
Vapo	r pressure	:	No data availa	ble
Relat	ive vapor density	:	No data availa	ble
Dens	ity	:	1.00 g/cm3	
	bility(ies) ater solubility	:	soluble	
	ion coefficient: n- ol/water	:	Not applicable	
Autoi	gnition temperature	:	No data availa	ble
Deco	mposition temperature	:	The substance	or mixture is not classified self-reactive.
Visco Vis	sity scosity, kinematic	:	10 - 20 mm2/s	(20 °C)
Explo	sive properties	:	Not explosive	
Oxidi	zing properties	:	The substance	or mixture is not classified as oxidizing.

Version	Revision Date: 04/27/2015	MSDS Number:	Date of last issue: 04/08/2015
2.1		31378-00006	Date of first issue: 12/11/2014
-			

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	 Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Ingestion Eye contact	of exposure
Acute toxicity	
Not classified based on availa	ble information.
Product:	
Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:	
Ethanol:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
Alpha-Sulfo-omega-(dodecy Acute oral toxicity	 Ioxy)-poly(oxy-1,2-ethanediyl), Ammonium salt: LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Version 2.1	Revision Date: 04/27/2015	MSDS N 31378-0		Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
	onium dodecyl sulph oral toxicity	: LD5 Meth		0 mg/kg ctive 92/69/EEC B.1 Acute Toxicity (Oral) on data from similar materials
	ylene glycol: oral toxicity	: LD5	0 (Rat): > 5,0	00 mg/kg
Acute	inhalation toxicity	Expo Test Asse	osure time: 4 atmosphere	: dust/mist substance or mixture has no acute
Acute	dermal toxicity		essment: The	2,000 mg/kg substance or mixture has no acute dermal
	oro-3,5-dimethylphen oral toxicity	: Acut Meth Rem	nod: Expert ju	on harmonised classification in EU regulation
Acute	inhalation toxicity		0 (Rat): > 6.2 atmosphere	
Acute	e dermal toxicity	: LD5	0 (Rat): > 2,0	00 mg/kg
Not cl <u>Prod</u> e	corrosion/irritation lassified based on avai u <u>ct:</u> lt: No skin irritation	lable inforn	nation.	
Ethar Speci Metho Resu	es: Rabbit od: OECD Test Guideli It: No skin irritation		lv(oxy-1.2-e	thanediyl), Ammonium salt:
Speci Metho Resu	es: Rabbit od: OECD Test Guideli It: Skin irritation arks: Based on data fro	ne 404		inaneury), Annonium Sait.
Speci Metho	onium dodecyl sulph es: Rabbit od: OECD Test Guideli It: Skin irritation			

VersionRevision Date:MSDS Number:2.104/27/201531378-00006

Date of last issue: 04/08/2015 Date of first issue: 12/11/2014

Propylene glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

4-chloro-3,5-dimethylphenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Ethanol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Propylene glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

4-chloro-3,5-dimethylphenol:

Result: Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol: Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt: Test Type: Maximization Test (GPMT)

VersionRevision Date:MSDS Number:2.104/27/201531378-00006

Date of last issue: 04/08/2015 Date of first issue: 12/11/2014

Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

4-chloro-3,5-dimethylphenol:

Assessment: Probability or evidence of skin sensitization in humans Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Ethanol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
Alpha-Sulfo-omega-(dodecylo	xy)-poly(oxy-1,2-ethanediyl), Ammonium salt:
	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	 Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
		Remarks: Base	d on data from similar materials
	nonium dodecyl sulpha otoxicity in vitro	: Test Type: In vi Result: negative	tro mammalian cell gene mutation test e d on data from similar materials
Geno	otoxicity in vivo	cytogenetic ass Species: Mouse Application Rou Method: OECD Result: negative	e ite: Ingestion Test Guideline 474
	oylene glycol: otoxicity in vitro	: Test Type: Bac Result: negative	terial reverse mutation assay (AMES)
Geno	otoxicity in vivo	Species: Mouse	te: Intraperitoneal injection
	loro-3,5-dimethylpheno otoxicity in vitro		terial reverse mutation assay (AMES)
	:inogenicity classified based on availa	ble information.	
Amn Spec Appl Expo Resu	edients: nonium dodecyl sulpha cies: Rat ication Route: Ingestion osure time: 2 Years ult: negative arks: Based on data from		
Spec Appl Expo	bylene glycol: cies: Rat ication Route: Ingestion osure time: 2 Years ult: negative		
IAR	С		is product present at levels greater than or entified as probable, possible or confirmed by IARC.
OSH	IA		is product present at levels greater than or entified as a carcinogen or potential carcino-

ersion 1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
NTP			this product present at levels greater than or identified as a known or anticipated carcinoger
-	oductive toxicity assified based on availa	able information.	
Ingre	dients:		
Ethar Effect	iol: is on fertility	Species: Mou Application Re	oute: Ingestion D Test Guideline 416
	a-Sulfo-omega-(dodec s on fertility	: Test Type: Tv Species: Rat Application Ro Result: negati	2-ethanediyl), Ammonium salt: vo-generation reproduction toxicity study oute: Ingestion ve sed on data from similar materials
Effect	s on fetal development	Species: Rat Application Re Result: negati	vo-generation reproduction toxicity study oute: Ingestion ve sed on data from similar materials
	onium dodecyl sulpha s on fetal development	: Test Type: En Species: Rat Application Ro Result: negati	nbryo-fetal development oute: Ingestion ve sed on data from similar materials
	ylene glycol: is on fertility	: Species: Mou Application Re Result: negati	oute: Ingestion
Effect	s on fetal development	Species: Mou	oute: Ingestion

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Version	Revision Date:	MSDS Number:	Date of
2.1	04/27/2015	31378-00006	Date of

Date of last issue: 04/08/2015 Date of first issue: 12/11/2014

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Propylene glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

4-chloro-3,5-dimethylphenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d

ersion 1	Revision Date: 04/27/2015	MSDS Number:Date of last issue: 04/08/201531378-00006Date of first issue: 12/11/2014
Toxic	ity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
	a-Sulfo-omega-(dodecy bity to fish	 Ioxy)-poly(oxy-1,2-ethanediyl), Ammonium salt: LC50 (Danio rerio (zebra fish)): 7.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
	tity to daphnia and other tic invertebrates	 EC50 (Daphnia magna (Water flea)): 7.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxic	ity to algae	 ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/ Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/ Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxic toxici	ty to fish (Chronic ty)	 NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l Exposure time: 28 d Method: OECD Test Guideline 204 Remarks: Based on data from similar materials
aqua	tity to daphnia and other tic invertebrates pnic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxic	ity to bacteria	 EC10 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
	tonium dodecyl sulpha t bity to fish	e: : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
	tity to daphnia and other tic invertebrates	 EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materials
Toxic	to algae	 ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/ Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

ersion 1	Revision Date: 04/27/2015	MSDS 1 31378-0	Number:)0006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
		Exp Met	osure time: 72 nod: Directive	mus subspicatus (green algae)): 5.4 mg/l 2 h 67/548/EEC, Annex V, C.3. on data from similar materials
aquat	ity to daphnia and other ic invertebrates nic toxicity)	Exp	osure time: 7	nnia dubia (water flea)): 0.88 mg/l d on data from similar materials
Toxic	ity to bacteria	Exp Met	osure time: 16 hod: DIN 38 4	
	ylene glycol: ity to fish		0 (Oncorhync osure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l 3 h
	ity to daphnia and other ic invertebrates		0 (Ceriodaphi osure time: 48	nia dubia (water flea)): 18,340 mg/l 8 h
Toxic	ity to algae	Exp	osure time: 48	na costatum (marine diatom)): 19,000 mg/l 3 h est Guideline 201
Toxic toxicit	ity to fish (Chronic y)		onic Toxicity V osure time: 30	'alue: 2,500 mg/l) d
aquat	ity to daphnia and other ic invertebrates nic toxicity)		EC (Ceriodaph osure time: 7	nnia dubia (water flea)): 29,000 mg/l d
Toxic	ity to bacteria		EC (Pseudome osure time: 18	onas putida): > 20,000 mg/l 3 h
	oro-3,5-dimethylpheno ity to fish	: LC5	0 (Oncorhync osure time: 96	hus mykiss (rainbow trout)): 0.76 mg/l S h
	ity to daphnia and other ic invertebrates		0 (Daphnia m osure time: 48	agna (Water flea)): 7.7 mg/l 3 h
M-Fao icity)	ctor (Acute aquatic tox-	: 1		
Persi	stence and degradabil	y		
Ingre	dients:			
Ethar Biode	nol: gradability	Bioc	ult: Readily bi legradation: 8 osure time: 20	34 %

ersion			DS Number: 378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
	n a-Sulfo-omega-(dodecyl egradability		Result: Readily bi Biodegradation: Exposure time: 28 Method: Directive	100 %
	nonium dodecyl sulphate egradability	e: :		75.7 %
	oylene glycol: egradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28 Method: OECD T	98.3 %
Bioa	ccumulative potential			
Etha Parti	edients: Inol: Ition coefficient: n- nol/water	:	log Pow: -0.35	
Part			y)-poly(oxy-1,2-et log Pow: 0.3	hanediyl), Ammonium salt:
Part	nonium dodecyl sulphate tion coefficient: n- nol/water	e: :	log Pow: 0.8 - 0.9	1
Part	bylene glycol: ition coefficient: n- nol/water	:	log Pow: -1.07	
Part	loro-3,5-dimethylphenol: ition coefficient: n- nol/water	:	log Pow: 3.27	
Mob	ility in soil			
	lata available			
Othe	er adverse effects			
No c	lata available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
Waste	from residues	: Dispose of in acc	ordance with local regulations.
Contaminated packaging		handling site for r	used product. s should be taken to an approved waste recycling or disposal. se a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US State Regulations		
Pennsylvania Right To Know	,	
Water		7732-18-5 70 - 90 %

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006		ast issue: 04/08/201 ïrst issue: 12/11/201	-	
	Alpha-Sulfo	• •	poly(oxy-	64-17-5 2235-54-3 67762-19-0 57-55-6 7783-20-2	1 - 5 % 1 - 5 % 1 - 5 % 1 - 5 % 0.1 - 1 %	
	Propan-2-c	l		67-63-0	0.1 - 1 %	
New Jersey Right To Know						
	Water			7732-18-5	70 - 90 %	
	Ethanol			64-17-5	1 - 5 %	
	Ammonium dodecyl sulphate				1 - 5 %	
	•	o-omega-(dodecyloxy)∙ diyl), Ammonium salt	poly(oxy-	67762-19-0	1 - 5 %	
	Propylene			57-55-6	1 - 5 %	
•						

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

VersionRevision Date:MSDS Number:Date of last issue: 04/08/20152.104/27/201531378-00006Date of first issue: 12/11/2014

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH		USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL		USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / STEL		Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA		8-hr TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	04/27/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

VersionRevision Date:MSDS Number:Date of last issue: 04/08/20152.104/27/201531378-00006Date of first issue: 12/11/2014

US / Z8